

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	957	726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:50
L2	39	1 and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:50
L3	3	KYOTOKU near SATOSHI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:55
L4	170	device with positioning near2 part with detect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L5	0	L4 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L6	6	L4 and remote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L7	0	L6 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L8	331	transmit\$4 with position\$4 near data with remote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L9	1	L8 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:57
L10	5	transmit\$4 with position\$4 near data with remote near site	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56

L11	0	L10 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L12	6	position\$4 near data same remote near site same GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L13	0	L12 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L14	3	position\$4 near part and transmit\$4 same remote near site and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L15	0	L14 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L16	3753	location near (data info information) with identificat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L17	5	L16 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L18	1	location near (data info information) with identificat\$4 same connect\$4 with remote near site	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L19	0	L18 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L20	40	location near (data info information) with identificat\$4 and connect\$4 with remote near site	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56

L21	0	L20 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L22	5	position\$4 near (data info information) with identificat\$4 and connect\$4 with remote near site	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L23	0	L22 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L24	0	position near ID same connect\$4 with remote near site	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L25	0	L24 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L26	0	position\$4 near ID same connect\$4 with remote near site	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L27	0	L26 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L28	11	position\$4 near (data info information) same connect\$4 with remote near site	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L29	0	L28 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L30	7965	position\$4 near (data info information) with (identify identification identifying)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56

L31	22	L30 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L32	112	L30 with remote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L33	0	L32 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L34	6009	detect\$4 with position\$4 with part same connect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L35	5	L34 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L36	372	detect\$4 with position\$4 near part same connect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L37	1	L36 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:58
L38	5	detect\$4 with position\$4 near part same connect\$4 with remote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L39	0	L38 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L40	42	detect\$4 with positioning near part same connect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56

L41	0	L40 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L42	2	detect\$4 with positioning near part same remote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L43	0	L42 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L44	19	positioning near part with output with input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:56
L45	0	L44 and @ad<"20000321" and @pd>"20050629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L46	2942	position\$4 with part same GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:56
L47	1266	position\$4 near3 part same GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:57
L48	714	L47 and @ad<"20000321"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:57
L49	75	position\$4 near3 part with mov\$4 same GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:57
L50	56	L49 and @ad<"20000321"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:57